

# Instructions and clarification.

The main hint for the solution is that the problem is divided into subproblems, which are solved separately one after another.

## Project for one or two students.

The task is to make the output of a nonlinear system, called “actuator” in the general task, to track given signals, and to check the robustness of the obtained control.

Only 2 controllers are to be designed: one discontinuous and one continuous.

Each of these two controllers is designed in two steps: 1. with all measurements available and 2. only the actuator output  $v = x_1$  is available in “real time”. In the latter case an output feedback controller is produced. Only simplest calculations are needed. Controllers have the standard form, which appeared in the lectures.

Let the “actuator” model be  $\dot{x} = f(t, x, u), x \in \mathbf{R}^3, u \in \mathbf{R}, \sigma = v(t, x) - v_c(t)$ . The task is to make  $\sigma$  vanish.

### A. Simulation of a **discontinuous controller**

a. **Full measurements are available.** Here the rel. degree is 2,  $\sigma(t), \dot{\sigma}(t)$  are “measured in real time”, i.e. they are calculated using the given formulas,  $u(t) = \alpha U_2(\sigma(t), \dot{\sigma}(t))$  is one of the standard controllers,  $\alpha$  is the magnitude of the control.

**Important:** the controller  $U_2(\sigma, \dot{\sigma})$  is  $\pm$  the standard form, depending on the sign of the obtained control coefficient in  $\dot{\sigma}$ .

Choose the initial time  $t_0$  and the final time  $t_1$  for simulation. The convergence time should constitute about 1/3 of the whole simulation time. Thus usually  $t_0 = 0, t_1 = 10$  is enough. Choose some initial conditions  $x_0$ . The simulation scheme:

```
t = t0; x = x0;
while(t ≤ t1)
{
    dx = f(t, x, u);
    σ = v(t, x) - vc(t);  $\dot{\sigma} = \dot{v} - \dot{v}_c$ ;
    u = αU2(σ,  $\dot{\sigma}$ );
    x := x + dx · τ;
    t := t + τ;
}
```

b. **Output-feedback control.** Only  $\sigma(t)$  is available in real time. Output-feedback controller includes a differentiator as a part of the controller. Here  $\sigma(t), \dot{\sigma}(t)$  are evaluated in real time by the variables  $z_0, z_1$  of a standard differentiator  $\dot{z} = D_2(L, z, \sigma)$ , where  $L$  is its parameter,  $u(t) = \alpha U_2(z_0, z_1)$  is the controller previously chosen.

The simulation scheme:

```

t = t0; x = x0; σ = v(t, x) - vc(t);
z0 = σ; z1 = 0;
while(t ≤ t1)
{
    dx = f(t, x, u);
    σ = v(t, x) - vc(t);
    dz = D2(L, z, σ);
    u = αU2(z0, z1);
    x := x + dx · τ;
    z := z + dz · τ;
    t := t + τ;
}

```

### A\*. Simulation of a **continuous controller**.

An integrator is included into the controller increasing the relative degree by one.

a. **Full measurements are available.** Here the rel. degree is 3,  $\sigma(t), \dot{\sigma}(t), \ddot{\sigma}(t)$  are “measured in real time”, i.e. they are calculated using the given formulas,  $\dot{u}(t) = \alpha U_3(\sigma(t), \dot{\sigma}(t), \ddot{\sigma}(t))$  is one of the standard controllers,  $\alpha$  is the magnitude of the control.

**Important:** the controller  $U_3(\sigma, \dot{\sigma}, \ddot{\sigma})$  is  $\pm$  the standard form, depending on the sign of the obtained control coefficient in  $\ddot{\sigma}$ .

Choose the initial value  $u_0$  of the control, usually  $u_0 = 0$ . The simulation scheme:

```

t = t0; x = x0; u = u0;
while(t ≤ t1)
{
    dx = f(t, x, u);
    σ = v(t, x) - vc(t);  $\dot{\sigma} = \dot{v} - \dot{v}_c$ ;  $\ddot{\sigma} = \ddot{v} - \ddot{v}_c$ ;
    du = αU3(σ,  $\dot{\sigma}$ ,  $\ddot{\sigma}$ );
    x := x + dx · τ;
    u := u + du · τ;
    t := t + τ;
}

```

b. **Output-feedback control.** Only  $\sigma(t)$  is available in real time. Output-feedback controller includes a differentiator as a part of the controller. Here  $\sigma(t), \dot{\sigma}(t), \ddot{\sigma}(t)$  are evaluated in real time by the variables  $z_0, z_1, z_2$  of a standard differentiator  $\dot{z} = D_3(L, z, \sigma)$ , where  $L$  is its parameter,  $u(t) = \alpha U_3(z_0, z_1, z_2)$  is the controller previously chosen.

The simulation scheme:

$$t = t_0; x = x_0; \sigma = v(t, x) - v_c(t);$$

$$z_0 = \sigma; z_1 = 0; z_2 = 0;$$

while( $t \leq t_1$ )

{

$$dx = f(t, x, u);$$

$$\sigma = v(t, x) - v_c(t);$$

$$dz = D_3(L, z, \sigma);$$

$$du = \alpha U_3(z_0, z_1, z_2);$$

$$x := x + dx \cdot \tau;$$

$$u := u + du \cdot \tau;$$

$$z := z + dz \cdot \tau;$$

$$t := t + \tau;$$

}

Inclusion of the differentiator does not change the controller using full measurements, it only supplies these measurements.

Thus, at the end, all over the project you have only two values of  $\alpha$ : one for the discontinuous controller and one for the continuous one. The same with the differentiator parameter  $L$ .

## B. Adding unmodeled dynamics and noises to check robustness.

The sense of the unmodeled dynamics is that the designer does not know on its existence. The designer also assumes that there is a measurement noise, but he knows nothing about its features or intensity.

Only the homogeneous output-feedback controller is robust with respect to unmodeled dynamics. **Without a differentiator the robustness may be lost.** The noises and the unmodeled dynamics are added to the output feedback controllers developed at the substages b and b\* of the A stage. Let the unmodeled dynamics be  $\varepsilon \dot{\zeta} = \Phi(\zeta, u), u_d = U_d(\zeta), \zeta \in \mathbf{R}^3$ . So that with  $\varepsilon = 0$  one gets  $u_d = u$ .

Choose the initial value  $\zeta_0$  of the state of the unmodeled dynamics.

The noise is defined by some random or quasi-random function  $\eta(t)$  of a given magnitude.

Now the simulation of the **continuous output-feedback control** looks as follows.

$$t = t_0; x = x_0; \zeta = \zeta_0; \sigma = v(t, x) - v_c(t);$$

$$z_0 = \sigma(t, x) + \eta(t); z_1 = 0; z_2 = 0;$$

while( $t \leq t_1$ )

{

$$d\zeta = \varepsilon^{-1} \Phi(\zeta, u);$$

$$u_d = U_d(\zeta);$$

$$dx = f(t, x, u_d);$$

$$\sigma = v(t, x) - v_c(t);$$

$$dz = D_3(L, z, \sigma + \eta(t));$$

$$du = \alpha U_3(z_0, z_1, z_2);$$

$$\zeta := \zeta + d\zeta \cdot \tau;$$

$$x := x + dx \cdot \tau;$$

$$u := u + du \cdot \tau;$$

$$z := z + dz \cdot \tau;$$

$$t := t + \tau;$$

}

Thus the solution of the problem consists of a discontinuous controller + its output feedback version and a continuous controller + its output feedback version, which provide for the solution of the stated tracking problems. Respectively one has one pair  $\alpha, L$  for the discontinuous controller and another pair  $\alpha, L$  for the continuous one. Usually  $\alpha = 10, L = 50$  are sufficient for the discontinuous controller and  $\alpha = 20, L = 100$  are sufficient for the continuous controller. These numbers are only listed for an example, without any guaranty for each concrete problem.

For each solved problem I would like to see all the formulas of the controller (including integrator, and differentiator when applicable), all parameter values and characteristic graphs. This includes tracking results, graphs of  $\sigma, \dot{\sigma}, \ddot{\sigma}$  for the 3-sliding mode and  $\sigma, \dot{\sigma}$  for the 2-sliding one. I do not require 40+ graphs, but only the most characteristic ones.

## Project for three students.

A. First the A, A\* problems for one student are solved. Carefully read all the text above. Choose any simple signal like  $\cos(5t)$  for the tracking by the actuator output and check that the tracking problem is solved.

Now construct a stabilizing input  $v_c = cw$  for the linear dynamics  $\dot{w} = Aw + Bv_c$ . Choose **small negative eigenvalues** for the closed loop linear dynamics  $\dot{w} = (A + Bc)w$ . For example choose the eigenvalues -0.1, -0.2, -0.3 in order to get a non-demanding tracking problem for the actuator. Also do not take large initial values of  $w$ .

The simulation scheme for **continuous output-feedback control** looks as follows.

$$t = t_0; x = x_0; w = w_0; \sigma = v(t, x) - cw;$$

$$z_0 = \sigma; z_1 = 0; z_2 = 0;$$

while( $t \leq t_1$ )

{

$$v = v(t, x); \sigma = v(t, x) - cw;$$

$$dw = Aw + Bv;$$

$$dx = f(t, x, u);$$

$$dz = D_3(L, z, \sigma);$$

$$du = \alpha U_3(z_0, z_1, z_2);$$

$$x := x + dx \cdot \tau;$$

$$u := u + du \cdot \tau;$$

$$z := z + dz \cdot \tau;$$

$$w := w + dw \cdot \tau;$$

$$t := t + \tau;$$

}

Choose sufficiently large  $\alpha$ , L to provide for the convergence of the system. One will probably needs larger  $\alpha$  and L to track the virtual control  $v_c$  designed for the linear system. The values  $\alpha = 100$ ,  $L = 500$  are still feasible, increasing them more one will need to decrease the integration step to 0.00001 or even less.

B. **Add unmodeled dynamics and noises to the system with the output-feedback controller.** In order to decrease the influence of the unmodeled dynamics and noises take small noises and small epsilon. Don't change  $\alpha$  and L. You also have only one structure of the control  $v_c$  for  $w$ .

Choose some 3-dimensional noise  $\eta_w(t)$  of a given magnitude for the measurements of  $w$ . Denote  $\hat{c}$  the result of the noisy measurements. Now the simulation scheme for **continuous output-feedback**

**control** looks as follows.

$$\begin{aligned}
& t = t_0; \quad x = x_0; \quad \zeta = \zeta_0; \quad w = w_0; \quad \sigma = v(t, x) - cw; \\
& z_0 = \hat{\sigma} = v(t, x) - c(w + \eta_w(t)) + \eta(t); \quad z_1 = 0; \quad z_2 = 0; \\
& \text{while}(t \leq t_1) \\
& \{ \\
& \quad d\zeta = \varepsilon^{-1} \Phi(\zeta, u); \\
& \quad u_d = U_d(\zeta); \\
& \quad v = v(t, x); \quad \sigma = v(t, x) - cw; \\
& \quad \hat{\sigma} = v(t, x) - c(w + \eta_w(t)) + \eta(t); \\
& \quad dw = Aw + Bv; \\
& \quad dx = f(t, x, u_d); \\
& \quad dz = D_3(L, z, \hat{\sigma}); \\
& \quad du = \alpha U_3(z_0, z_1, z_2); \\
& \quad \zeta := \zeta + d\zeta \cdot \tau; \\
& \quad x := x + dx \cdot \tau; \\
& \quad u := u + du \cdot \tau; \\
& \quad z := z + dz \cdot \tau; \\
& \quad w := w + dw \cdot \tau; \\
& \quad t := t + \tau; \\
& \}
\end{aligned}$$

Thus the solution of the problem consists of a discontinuous controller + its output feedback version and a continuous controller + its output feedback version, which provide for the solution of the stated tracking problems. Respectively one has the row vector  $c$  for the stabilization of  $w$ , one pair  $\alpha, L$  for the discontinuous controller and another pair  $\alpha, L$  for the continuous one. **The problem can only be solved locally in such a way.** It means that the larger are the initial values of  $w$  the larger  $\alpha, L$  one needs.

If you don't succeed to stabilize the system, take smaller initial values of  $w$ , smaller eigenvalues, larger  $\alpha, L$ , and, possibly, decrease the integration step. That is not a practical problem, which means that one can choose very large  $\alpha, L$ . But  $\alpha$  in thousands and  $L$  in tens of thousands will require the integration step 0.00001 or probably even 0.000001. If the problem appears with unmodeled dynamics and noises, decrease the parameter  $\varepsilon$  and the noises. For example, take  $\varepsilon = 0.001$ . It also can require smaller integration step.

For each solved problem I would like to see all the formulas of the controller (including integrator, and differentiator when applicable), all parametric values and characteristic graphs. This includes graphs of the norm of  $w$ , tracking results, graphs of  $\sigma, \dot{\sigma}, \ddot{\sigma}$  for the 3-sliding mode and  $\sigma, \dot{\sigma}$  for the 2-sliding one. I do not require 40+ graphs, but only the most characteristic ones.

## General remarks

**Additional option** (though probably not needed): One can postpone the application of the control until the differentiator converges. For example, one keeps  $u = 0$  until  $t = t_0 + 1$  (everything else is working, just  $du = 0$  is kept with the continuous control or  $u = 0$  with the discontinuous one), and only then starts to apply the control. In the continuous control case  $u$  then starts to change from 0.

Please note that other useful information is also provided in the files

[http://www.tau.ac.il/~levant/mathappl/dfr\\_inst.pdf](http://www.tau.ac.il/~levant/mathappl/dfr_inst.pdf)

and

[http://www.tau.ac.il/~levant/Levant\\_FinTimeStability\\_in\\_SMC\\_LNCIS\\_412,2012.pdf](http://www.tau.ac.il/~levant/Levant_FinTimeStability_in_SMC_LNCIS_412,2012.pdf)